

**Regular Meeting
of the
Town of South Coffeyville Council**

TOWN HALL--419 Willow
South Coffeyville, OK 74072

October 17, 2022

Monday

6:00 p.m.

AGENDA

- 1. Call to Order.**
- 2. Pledge of Allegiance and Prayer.**
- 3. Roll Call.**
- 4. Citizen Comments**
Please limit remarks to 5 minutes unless such time is extended by the Mayor. You must sign the appearance sheet and notate which agenda item you would like to address.
- 5. Consent Agenda**
The Consent Agenda consists of items of a routine that do not require discussion by the council. Approve of:
 - A. Minutes of October 3, 2022 Regular Meeting.
 - B. Purchase Orders for Utility Fund, General, Street & Alley, Fireman's Fund, and Meter Deposits Payable.
- 6. Consideration of items removed from the Consent Agenda.**
- 7. Discuss, Review, or Act to approve a building permit at 813 Seminole for a shed.**
- 8. Discuss, Review, or Act to approve a building permit to install a 12' x 24' portable building at 318 Shawnee.**
- 9. Discuss, Review, or Act to approve a building permit to install a storage building at 215 Oklahoma.**
- 10. Discuss, Review, or Act on applying for FY 2023 Reap Grant through Grand Gateway.**
- 11. Discuss, Review, or Act on any necessary changes to Edward Jones contributions.**

12. Discuss, Review, or Act on any necessary changes to AFLAC accident insurance.
13. Discuss, Review, or Act on appointing a Court Clerk.
14. Discuss, Review, or Act on PSO Fuel Adjustment amount over standard rate for the Town's billing period of September through October to be billed in November.
15. **New Business**
16. **Reports from Departments.**

These reports will consist of general comments, updates and/or questions pertaining directly to the business of the town.

Report from Jerome Gnatek, Mayor.

Report from Wade Lamb, Chief of Police.

Report from Jim Wilson, Fire Chief.

Report from Steven Soule, Maintenance Superintendent.

Report from Jenifer Hanigan, Deputy Treasurer.

Report from Mitch Lakey, Emergency Manager.
17. **Vote to Adjourn.**